

NEXT GEN
PRODUCTS



C.R.I. PUMPS
Pumping trust. Worldwide.

Smart Pump for Smart People



Pressure Booster System | i-Smart Pump | Sewage & Drainage Pumps

C.R.I. Pressure Booster System

C.R.I. Pressure Booster system has a complete combo package for water pressure boosting and it is precisely designed for hassle free performance. The complete system developed to preserve constant water pressure in all outlets, whenever pressure drops/attains to the desired level, pump will Start/Stop automatically. Over all compactness of the pressure boosters consumes lesser space and quality assured components were used for high accuracy, so that noise level will be in limit. We could proudly say, C.R.I. Pressure Boosters are "Fit and Forget" products.

FUNCTIONS

The system consists of pump, non-return valve, pressure switch, pressure gauge, Y-Strainer and pressure tank. As the Y-Strainer included in the system, the entry of foreign particles are avoided and thus the system life is extended.

Applications

- Residential Buildings • Industries • Hotels • Hospitals • Apartments • Bungalows

Salient Features

- Ensures even pressure at all the water outlets • Automatic pump ON & OFF when it senses variation in pressure based on water consumption • In-built thermal overload protector, protects motor from overload fault • Lesser running cost than the conventional systems • Factory tested system and supplied as a package.

MOC - Pumpset

Part Name	Material
Pump Shell	SS 304
Suction & Discharge Chamber	Cast Iron
Rotor	Aluminium Die Cast
Motor Body	Aluminium Extruded
Motor Shaft	SS 410
Impeller	SS / High Tensile Brass / Noryl
Mechanical Seal	Carbon & Ceramic / Silicon with Carbon / EPDM

Specifications

	BRISK	TINY FORCE
Power ranges upto	1.5HP	0.5HP
Flow upto	8 m ³ /hr	2.2 m ³ /hr
Maximum pressure	5.5 bar	3 bar
Liquid temperature upto	90°C*	33°C

* Applicable only for Special Mechanical Seal



Performance Data

BRISK SERIES

2880 RPM, Single Phase - 220 - 240 Volts 50Hz, A.C. Supply. **with 24 litres tank**

Model	Power		Head in Metre	Flow (m ³ /hr)								Suction Size (mm)	Delivery Size (mm)	Approx. Recommendation				
	kW	HP		0	0.8	1.5	2	2.4	2.8	3.2	3.5			3.7	3.8	BHK	No of Bath rooms	No of Taps
	BRISK-2E/03	0.37		0.5	30	27	23	21	18	15	11						25	25
BRISK-2E/04	0.55	0.75	40	37	33	29	25	20	16	13	9		25	25	1	2	6	
BRISK-2E/05	0.75	1	50	46	42	37	33	28	23	19	14	9	25	25	2	3	9	

MHBS SERIES

2880 RPM, Single Phase - 220 - 240 Volts 50Hz, A.C. Supply. **with 24 litres tank**

Model	Power		Head in Metre	Flow (m ³ /hr)						Suction Size (mm)	Delivery Size (mm)	Approx. Recommendation			
	kW	HP		0	1.0	1.5	2.0	2.5	3.0			3.5	BHK	No of Bath rooms	No of Taps
	MHBS-2E/03	0.30		0.40	27	24	23	21	18.5			16	12.5	25	25
MHBS-2E/04	0.37	0.50	37	33	32	29	26	22	17.5	25	25	1	2	6	
MHBS-2E/05	0.45	0.60	47	43	40	37	33	27.5	21.5	25	25	2	3	9	
MHBS-2E/06	0.55	0.75	55	50	47.5	43.5	38.5	32.5	26.5	25	25	3	4	12	

Model	Power		Head in Metre	Flow (m ³ /hr)						Suction Size (mm)	Delivery Size (mm)	Approx. Recommendation				
	kW	HP		0	2	3	4	5	6			7	8	BHK	No of Bath rooms	No of Taps
	MHBS-5/04	0.55		0.75	35	31	28.5	26	23			18	16	12	25	25
MHBS-5/05 *	0.75	1.0	45	40	38	34	31	24	22	15	25	25	3	4 - 5	15	
MHBS-5/06 *	1.1	1.5	54	49.5	47	43	38	30	22	20	25	25	4	5 - 6	18	

* Marked models available in **35 ltr tank** also

TINY FORCE SERIES

2880 RPM, Single Phase - 220 - 240 Volts 50Hz, A.C. Supply. **with 2 litres tank**

Model	Power		Head in Metre	Flow (m ³ /hr)							Suction Size (mm)	Delivery Size (mm)	Approx. Recommendation				
	kW	HP		0.4	0.8	1.1	1.4	1.6	1.9	2.0			2.1	2.2	BHK	No of Bath rooms	No of Taps
	TINY FORCE 50	0.37		0.5	30	25	21	18	15	12			10	8	6	25	25

BHK - Bedroom, Hall, Kitchen



C.R.I. PUMPS

Pumping trust. Worldwide.

-
- 5 decades of engineering excellence • Sold in more than 120 countries
 - More than 9000 models of pumps and motors • Over 1000 service centres across India
 - Fully equipped R&D wing recognized by Ministry of Science and Technology
 - ISO 9001 & 14001 accreditations
-

 **TOLL FREE 1800 121 1243**  www.crigroups.com

 www.facebook.com/cripumps  chatbot : **+91 9500401115**



*As the design and manufacture of pumps are subject to constant improvement, the product supplied may differ in some details from the information, descriptions, specifications and illustrations given.